UNITED STATES DEPARTMENT OF AGRICULTURE Rural Electrification Administration St. Louis 2, Missouri

SURRELIEST TO REA BORROWERS

SPEEDY ACTION ESSENTIAL

December 2, 1944

Where

Geneva, Utah

Condition:

All New

Price:

Prices are now being negotiated. The Disposal Agency prices will be f.o.b., Geneva, Utah, but even after adding freight and handling charges, the delivered prices will be considerably less than your normal cost. If interested, you should send us your order immediately for material wanted, showing type, size, etc., but subject to your approval of final prices.

Time Limit:

December 23, 1944 for our receipt of your orders. This is the last date the Disposal Agency will hold these materials for REA activities.

HOUSE WIRING MATERIALS

Boxes, Outlet and Switch
Bushings, Conduit
Covers, Convenience Outlet and
Switch Box
Condulets, and Covers
Conduit
Connectors, Conduit, ground,
solderless and oval types
Elbows, Conduit
Fuses
Heads, Service entrance conduit
Holders, Lamp, key and keyless
sockets
Lamps, Mazda, 25 watt to 300 watt

Lamps, Fluorescent Lockmuts Loom for knob and tube wiring Plates, Receptacle and switch Receptacles Reflectors, Steel Switches Sockets, key and keyless Switches, Motor Switches, Safety Wire and Cable, Insulated Single, duplex and 3 conductor types, rubber and W.P. Size 14 to 2/0. Some have lead sheath that can be used for underground services.

J. Warner Pyles, Head

Surplus War Property Disposal Office

Note:

These items have been found suitable for REA use. Orders will be processed in order of receipt, subject to prior sale.

JAN 19 1945
U. S. DEFANCEST OF AGRICULTURE

UNITED STATES DEPARTMENT OF AGRICULTURE Rural Flectrification Administration St. Louis 2, Missouri

December 4, 1944

Where:

Lexington, Kentucky

Condition:

New

Price:

Between \$1.00 and \$1.30 each, f.o.b. Lexington, Kentucky. Final price now being negotiated. If interested, you should send us your order immediately for material wanted, but subject to your approval of final price.

Time Limit: -December 15 for our receipt of your orders. This is the last date the Disposal Agency will hold these materials for REA activities.

ANCHORS


21,846 Anchors - Chance #104, 4 way expansion - 16,000#, Requiring 3/4" Rod. However, the price warrants use where lightest weight anchor would suffice.


J. Warner Pyles, Head

Surplus War Property Disposal Office

Note:

These items have been found suitable for REA use. Orders will be processed in order of receipt, subject to prior sale.





1.933 Su 7 Cop 3

UNITED STATES DEPARTMENT OF AGRICULTURE Rural Electrification Administration St. Louis 2, Missouri

SURPLUS WAR PROPERTY ITEMS OF INTEREST TO REA BORROWERS

SPEEDY ACTION ESSENTIAL

IF YOU DESIRE THESE MATERIA December 7, 1941

Where:

Massena, New York

Condition N

New

Price:

Prices are now being negotiated. The Disposal Agency prices will be f.o.b., Massena, New York, but even after adding freight and handling charges, the delivered prices will be considerably less than your normal cost. If interested, you should send us your order immediately for material wanted, showing type, size, etc., but subject to your approval of final prices.

Time Limit: December 24, 1944 for our receipt of your orders. This is the last date the Disposal Agency will hold these materials for REA activities.

MATERIALS

1,799 feet - #1/0 U.S. Rubber Co., single conductor, 600 V, double braid, type RH insulation, copper cable, stranded.

02 feet - #1/0 Anaconda, single conductor, 00 V. 6/64" densheath insulation, copper ire, stranded.

85 feet - #4 single conductor, stranded opper wire, type RH, double braid, 600 V nsulation.

231 feet - #2 bare copper wire, 7 strand, and drawn.

346 feet - #9 Okonite single conductor, tranded copper cable, 600 V Okolite insulation, okoprene cover.

3000 feet - #10 single conductor, solid coper wire, 600 V, double braid, type R white asulation.

5,633 feet - #1/0 Rome Cable, single conductor, 600 V. double braid, type R insulation, copper cable, stranded.

649 feet - #1 U.S. Rubber Co. single conductor, 600 V, double braid, type RH insulation, copper cable, stranded.

390 feet - #8 single conductor, stranded copper wire, 600 V, double braid, type R insulation.

500 feet - #8 single conductor, stranded copper wire, type R, 600 V insulation (white)

500 feet - #10 single conductor, solid copper wire, 600 V, double braid, type R black insulation.

7000 feet - #12, single conductor, solid copper wire, 600 V, double braid, weather proof.

arner y

J. Warner Pyles, Head

Surplus War Property Disposal Office

ote:

These items have been found suitable for REA use. Orders will be processed in order of receipt, subject to prior sale.

- 4-

FURRENT SERIAL PURCED

nakan dina di kabupat dan di kabupat di kabu Kabupat di k

in agent filter specific in the con-

Control of the contro TO COMPANY AND A SECOND

to detect to the destruction of the control to the Hogely Chart of their Mill on the serve

Server T. Server response to the construction of

The trades with the safety will be p was and had says to the confidence of the

trained and a final and the second trained has the first and the second and the second second and the second an Salar Congression (Section 5)

nata ne distriction entre di distriction de la companya de la companya de la companya de la companya de la comp Nata di la companya di distriction di la companya di distriction de la companya de la companya de la companya THE COUNTY SEE WELL CONTRACTOR

GARAGE TO SERVER TO THE SERVER the following the state of the

instantional subject to a diagnostic of the Little Boundary of the south the th 《经济的动态》的,于《经济的经济》,是是"中国

tradición de esta esta de la constitución de la con १० देश समाप्त देशक र अध्यक्तात अस्ति एक र The state of the Later Contract

a promover objete all a devictor the second dead of the property to the second Constantion of the first terms.

THE PROPERTY WAS A CONTROL OF THE PROPERTY OF . 计规矩作品过程 嫌

Control Transport to the second of the secon

> Conservation of the control of the c The state of the s

The March State of the Control of th

UNITED STATES DEPARTMENT OF AGRICULTURE Rural Electrification Administration St. Louis (2), Missouri

SURPEUS WAR PROPERTY ITEMS OF INTEREST TO REA BORROWERS

SPEEDY ACTION ESSENTIAL

December 9, 1944

Where: In Texas as shown in "Location" beside item.

Condition: (N2 = New, good) (03 = used, usable without repairs, fair)

(N3 = New, fair)

Price: As shown below f.o.b., carrier.


Time Limit: December 15, 1944 for our receipt of your order. This is

the last date the Disposal Agency will hold these materials

for REA activities.

ITEM NO:	QUANTITY	DESCRIPTION	LOCATION	CONDI-	DECLARA- TION NO.	PRICE
4-35	91 Ea.	Anchors: Log, creosoted 5'x8"x8"	Commanding Off cer Pantex Ord Plant St. Fran Texas Att: Mr.	cis,	DAL-S-112	@ .75
34-10	2,879 Ea.	Rods, Ground, 3/4"x10' Copperweld	U.S.Engineer W 200 E. Bond St Den 1son, Texa		DAL-S-76	@ \$1.00 ea.
37-1	262 Lbs	. Wire, Bare Copper SD Solid #4 (1 Roll)	U.S.Engineer W 200 E. Bond St Denison, Texa		DAL-S-132	@ .10 lb.
37-2	227 Lbs	. Wire, Bare Copper SD Solid #4 (1 Roll)	U.S.Engineer W 200 E. Bond St Denison; Texas		DAL-S-132	@ .10 lb.
37-6	14,371 Ibs	. Wire, Copperweld, No. 1/0 (Trolley Wire) Steel Core, 16 Rolls (262 lbs. ea. roll)(838.4 ft. ea.	200 E. Bond St		DAL-S-76	@ .10 lb.
37-6		roll); 39 Rolls (261 lbs ea. roll)(835.2 ft. ea.				

In all communications to REA concerning these items please refer to SWP release-5 a



SURPLUS WAR PROPERTY ITEMS OF INTEREST TO REA BORROWERS

SPEEDY ACTION ESSENTIAL

Order: 1nstructions: Mail orders to us with Vendor's name and address blank for us to fill in the appropriate Disposal Agency name, etc.

Where:

Norwood, Ohio

Condition:

New

Price:

As shown below f.o.b., carrier.

Time Limit:

December 20, 1944 for our receipt of your order. This is the last date the Disposal Agency will hold these materials

for REA activities.

FILE NO.	QUAN.		UNIT PRIC	E
00084	40	Insulator, 13000 Volt 08 34851-Guy	• 18	
0000	237	Insulator, Strain #504 Porcelain Products	• 47	
	8	Unsulator, Pin #6900 O.B.	• 15	
00612	6	Clamo. 3 Bolt 6. Guy 3/16 1934	. 18	
The sales	1	Clamp, 3 Bolt 6" Guy 7/16"	. 18	
100	244	Eyenuts, 5/8 J-1092	- 14	
● (1.55 m)	4	Eyebolts, 5/8×12 J-9412:	. 18	
	4	Eyebolts, 5/8x8 J-9408	.13	
	2 9	Eyebolts, 5/8x6 J-9406	. 17	
	9	Eyebolts, 5/8×/10 U-9410	in the second	
	12	Pellet Lightning Arrestors GE 9LAIDA-J	6.00	
	82	Thimble Eye Clevises Pinco L-4096	• 20	
	115	J Hooks, J1019, Guy	•04	
	82	Insulator, J101 Spools	.07	
(\$14.00 piec	94	Insulator, J101 Spools		
	. 3	Cut-outs 50 Amps. G.E. Model 9FSA-145KV, 7.5/12 GRD	20.00	
	50	Pole Gains J 4060	• 25	
00111	1000	Outlet Boxes, black enamel takes any 4" square cover. Two 3/4" KO each of 4 sides. Two 3/4" KO and three		
		1/2" vo in bottom double care.	• 05	
00105	. 99	Boxes, outlet. Appleton, Black Sq. 12" deep, 2-3/4" K.O.		
		on side. 3½ K.O. Bottom, Univ. #2151-3/4	.04	
	175	Box, Oct., 2-1/8" Deep, 1" K.O. Black 4"	.05	
00102	69	Boxes, black, #5417, 1/2 Appleton 4"	.05	
00100	10	Anchor, w/dble, thimble eye and nut 3/4 x 12" Bolts	•18	
00504	137	100r - 5/8" x 12" Galv. Fve Bolts	. 18	1
00397	90	Braces Crossarms, Galv. 1/2" Hole in each and 1" from	.09	
A Property of the		end 22" x 1-1/4" x 1/4" Braces Crossarm, Galv. 1/2" Hole in each end 1" from	• 0 3	
NEW STREET	105	end Angle iron 1-1/2" x 1-1/2" x 3/16". 37" center 12"		
		drop, double span	-40	MIT A
		보다 중에 하는 사람이 있는 것이 하게 하면 되는 아이들이 되었습니다. 그는 그리고 있는 것이 되었다고 하는 것이다.		
	120	clamps, guy wire, heavy duty, 3 bolt, galv. #5275	• 18	
00295	13	25 Clamps, guy wire, galv. 3 hole	• 10	
00397	100	insulator porcelain, loose rack type, 2" long, 2-3/4" dia. 3/4" hole, 3/4" groove, 3/8" deep Spools	.07	
		Strain Insulator, Suspension type, 3-1/2" long, 4" diam		
	6	with galv. clamp on top 3/4" opening galv. hole in	1990 606	
		bottom with set screw for 3/4" rod (Insulator)	• 50	

FILE	NO.	QUAN.	DESCRIPTION	UNIT PRICE
0039	7	8	Strain insulator, Suspension type, 7-1/4" long, 6-1/4" diam. bell shape galv. clevis, 5/8"x1-1/2" pin, 3/4" diam. eye (insulator)	.75
0010		1068	unilet vnohs parcelain	.007
0039		6556	Strain, insulator guy, 5-1/2" long 3-1/2" diam. 3/4" hole knobs insulator, nail, 2 wire, superior size 5-1/2"x1-1/2"	
		25	diam. 2" high (Insulator) pin Type, insulators, 1 pc., Westinghouse #1012	.007
00 10		114	Secondary Rack Insulators Brown porcelain Oliver #2000	.06
0010		61	Secondary Rack Insulators Brown Porcelain No Name, same	.06
"		12	as Oliver, #2000 Secondary Rack Insulators Brown Porcelain Pierce #355	07
		13	insulators, Suspension Clevis Type Locke #73827, Brown 10" Disc.	1.25
0050	14	126	PC - 60,000 V Strain insulator - Guy	• 20
0029		57	82 Pins, screw type, transformer Plates Guy & Load #8887	• 20
0007		20 4 ,	plates unslyn strain duy Hook #1 6577 Gal.	. 10
0029	5	26	80 Plates, pole strain, 14 Ga. Galv. 4"x8" curved, 4 screw holes	• 10
0051	19	2	Poles, pike, wood, steel point 10°	1.50
0010		10	Hook, Guy, Joslyn, #J-1019, 5/8"	.04
0011		25 10	Goosenecks, #5037 (Electrical) 3/4" x 41" Flush Type Switch, lock type, T rate, 10A, 120V, Bryant #4961	L .12
0039	8	11 62	Switches, Toggle, Flush Cat. 8803, Hubbel, Brown Flush Type Tumbler Switch, double pole T rate, 10A, 120V,	12
			Bryant 4962	. 12
003	91	281	Lot #10 located at Norwood, Ohio: Box Sq. outlet, 4" x 12" Galv.	.06
11		113 213	Braces crossarm Galv. 30 x 1-1/4 Braces, crossarm 1/2 x 1-1/4" x 30"	.09
27		127	Braces, crossam 1/2" x 1-1/4" x 35"	.09
		90	Braces, crossam 1/2 x 1-1/4" x 48"	A CONTRACTOR OF THE
1 n		- 66	Hangers, Transformer, 3"x3/4" Black x 45" Long Drilled & with Bent arm	.70
11		970	Bushing, conduit, plain 1-1/4" galv. #2 Clamps, universal Burndy	.015
**		6	#4 Clamps, Univ. Burndy Clamps, dead end cable, assorted sizes	.38
H				.18
н		174	6" 3 bolt guy clamps Clevis, thimble, galv. 5/8"	. 10
, n		147	Clevises, galv. D-5½" x 3" Condulet, 1-1/4" BE-43, Galv.	.17
	8-22-03	62	Condulet, CR, Hinds F-17, 1/2"	. 20
17		20	Condulet, CR. Hinds F.S.C. 152 1/2" Condulet, CR. Hinds P.S. 23 3/4"	.20
H		22	Condulet, CR. Hinds F-27, 3/4"	. 20
97		71 149	Condulets, Appleton LB037, 1" Condulets, CR. Hinds LL-27 3/4"	. 20
		232	Splicers, copper, reliable XX101 1/o Sol.	. 20
**		275	Splicers, copper, reliable X207 2/0 Str. 3/0 Sol.	. 25
11	1	337 322	Splicers, copper, reliable XX27 2 str. 1 Sol Splicers, copper, reliable XX21 3-4 Str. 2-3 Sol.	.18
		21	Connectors, solderless 2-1/2" x holes 1-3/8" wide x 6" long	.09
		198	West 1123974 Coupling, conduit, galv. Appleton, 1-1/4"	.02
		22	Covers, condulet, porcelain CRHinds 4-wire hole #374, 1"	.07
11		139	Covers, box, for rectangle switch 4" sq. Nat. Elect. 24H-Z Covers, box for rectangle switch 4" round, National 26-H	.03
		69	Octagon box 3-1/2" × 1-1/2" Round Ceiling Box 3-1/2" × 1/2"	.05
		72	[프로그램은 경기 : [- 1] - 1	
1		62	Fuses, 15000 volt; size B amp 0.5/0-5N amps #6114008013 type EJA Current listing GE	30
99	A Sect	96	Fuses, 1-Tine Buss-15A, 250 V. #25015 Cart ridge Fuses, encrosed, 60A, 250 V Cartridge	.012 .025
	To the same	80 102	wire Holders, 3/4" Hubbard 41144	.06
H		32	3/8×1-1/2×6 #7586, Hooks, galv. Guy Hubbard	.045
1		20	3/8"x1-3/4"x4" #7584, Hooks, galv. Guy Hubbard Insulators, Wall, screw, Joslyn	.045
11	J	100 773	Locknuts, conduit, 1-1/2"	.01
4	2 - 1	95 24	Pins, galv. Insulator 3/4x4-3/4"x5-3/4" Pierce #990 A Hubbard Receptacles, Duplex, 3-wire 15A-125 V19A 250 V	.22

-				The second secon
1	THLE NO	. QUAN.	DESCRIPTION	UNIT PRICE
	00391	52	Receptacles, Duplex Plates #7858 Arrow	. 10
	007,51	57	Rods, ground 3/4" x 8' Copperweld	• 60
	ri tr	139	Rods, Thimble Eye Anchor 1"x8" 3/8" Strand Servisleeve Hubbard #7454	1.00
		4 521	7/16" Strand Servisleeve Hubbard #7453	.02
				.15
	11	56 101	Sockets, Medium base #1 vanhoe H. Type Reflector AC H461 Sockets, porcelain, med. base H&H 7852	.15
	81	. 64	Tans, parallel, cable #4 St.x12x12 NE GOTILIA GTIP	• 25
	97 99	6	Taps, cable, Goeller-4 St.x6 Str. National Electric Taps, cable, Goeller-4 Str.x12 Str.	• 25 • 25
		10		
	H	498	Taps, parallel Cable 4 sol x 10 Str. NE Gorilla Grip	. 25
,	9	93	Screw wedges, NE 57402 Taps, parallel, 3-way, 6 Str. 12×12, NE57536	. 25
}	91	75	Taps, parallel, 1-way, 1/0 Str. x 10 x Sol. National Elec.	. 25
	11	. 81	no number available Taps, parallel, 3-way 2/0x6x6 Str. NE 35091	. 25
	09	84	Taps, parallel, 3-way 4 Str. 8x8 NE 35235	. 25
		EOE	Thimble, Steelguy, 5/8"	.04
	For m	585 aterials	located at Building #3, Norwood, Ohio	
	00519		located at Building #3, Norwood, Ohio Boxes, Switch, 22 deep. Type L.C. "Steel City"	•05 •05
	11	136 100	Boxes, Economy Outlet Octagon, 3" × 1½" Boxes, Switch "Star" 2½" Deep. Galv. NEC Stand Type L.C.	.05
	10	112	Covers for round outlet Boxes "Universal 2-3/4" opening	0.2
	**	20	#54-0-3. Boxes, Economy "Appleton" 3½ "round 1½" deep #534	.03
	10	33	Boxes, Economy "Steel City 32" round 2" deep #36113	.05
			Boxes, Ceiling, Ring "universal" 4. Round 1/4 deep #56712	.06
2-1	B 11	53 10	Boxes outlet "universal" 31" octagon Enamel	.05
- }	W 1000	3	switches 'Air Brake 200 amos, "kearney" #SP-6453-3	65.00.
	M D	96	Covers, Flat Black, 3" Steel City Covers, Flat, Galv. u. "Steel City #54-C1	.03
		289		
	15	234	Rods, Anchor, 5/8" x 8" long Cata Line Material Co.	. 50
	n	1 [CLS 2958 Table Top, Blue Print wo. legs 52"x144"	10.00
	00486	34	Screwstoldd 4/2 x 3 1/2 gglve tivb :	.02:
	n n	14	Insulators-Pottery Small Thomas Pole Top	.15
		<i>*</i> *,	The Committee of the Co	10
	n n	400 504	nsulators-Strain "Westinghouse #534 Insulators-Strain "Westinghouse #530	. 18 . 15
	ú	,31	insulators-Strain "Westinghouse #534	.18
	11	73	clevises "Kearney" #2803 Sleck Pulling	•35 .01
		10,00	Connectors, Box KO #261V BK Type	
	. 0	550	covers, Box - Blank Black enamel 3-1/4" RD-#2401	.03 4.00
3	W	1 1	Fuse Cutout, G.E. Model #9F381, 50A Fuse Cutout, G.E. #9F381 50A Rating 65% w/out fuse holder	4.00
	0	7 41	Entrance Fittings "Appleton 1-1/4" 1931	. 25 . 25
	ft 80	.1260	Links, Fuse fit all 75-5000 #6426-2 Links, Fuse-Kearney type 200. Fit all #6427-2	. 25
		1474		
	er .	2	Mountings, G.E. Bracket Lightning Arrestor, Cat. 5213764G pins, steel long shank spring threads #ЕА—84 Hubbard FS	. 50
	•	1150	pins 12" overall	. 22
	nt	2	Receptacle' (Twistlock) 2 Wire (Hubbel) #7210	.10
	er e	358 185	Thimbles-Guy 3/8" #9505 outlets, Ceiling 3-1/4" round, 3/4" deep, 1/2" K.O. #36125	.03
	91	12	Strain Clevises 1/2" #807 Galv. From	. 15
	00510	` ' j ;	Arrestors, Lightning, Westinghouse, type S.V. Auto Valve	
	00519	3.	unit. Style 1124294 voltage 25,000 maximum fine 2 ground	25 00
-1	_	224	voltage 25,000 style #1151607 Boxes, Economy #2910-L2 "Shadradized" 3-1/2" x 1-1/2"	25.00
7	99	821	octagon 201-65 clamps	.05
	н	2091	Boxes, switch, 4 black enameled interchangeable sectional	.05
	n	1	"Redege" 2-1/4" Clevis, dead end, galv. 3-1/4" opening 5-1/2" over all	.12
	u u	2	Clevises, dead end dalv. #0346-3-1 opening W/PIN	• 12
	99	6	Clevises, insulator, galv. 5/8" hole 4" long 3-3/8" opening	30
	11	12	Clevises, insulator, galv. 11/16" hole 6"x3-1/8" opening	. 30
	*	23	Clevises, strain, insulator $\#803-2-1/4" \times 4-1/2"$ 1.D.	. 25 4. 00
	1) s)	1 1	Fuse, cutout, G.E. 50 amp. Model #9F6A 14-5 KV Fuse, cutout, "Westinghouse" Type ES style #940200, 50 Amp.	
			5000 volt	4.00
	*	1	Fuse, cutout disconnect "Line-Material Co." Type PVD 56 60 amp 5000 Volt	4.00
	Ħ	64	Insulators "Ohio Brass" #31352 Guy Strain	. 18
			the Atlanta to DEA concerning	

In all communications to REA concerning these items please refer to SWP release-6c

	FILE NO.	QUAN.	DESCRIPTION	UNIT PRICE
	00519	210	Pins, Cross Arm Galv. #84 FS. #P54822-H	. 22
	H	66	Pins, Galv. Pole Top #550 2 hole, channel Std. Josyln	. 23
	*	18	Pins, Galv. Pole Top #550 2 hole, channel Std. Josyln Plates, flush for tumbler switches Cat #91073 "Bryant"	
			3 gang uniline.	. 25
	H .	21	plates, flush for tumbler switches 4 gang #91074 Bryant	. 25
	91	20	→ Plates, flush brush brass #0545 Bryant	.06
	n	10	Plates, Flush Bakelite #91075 Bryant	-04
	н	26	plates, Flush brush brass #0646 Bryant	.06
	n	98	Servisleeve, guy wire Hubbard 5/16" 7453	.02
	11	48	Bolts, eye D. A. Galv. #9869 5/8" x 18" all thread	.16
por.	79	28	Bolts, double cross arm 5/8" x 18" galv. #9868	.16
	W	152	80lts. machine Galv. 5/8" x 16" glv.	.11
Vous	я	3	Transformers "Westinghouse" Style #1028644 Current 200/5A, 7500V. Ser. #3258850 C.T.	20.00
	п	190	Receptacles Twist lock, 20A, 250V. TL-7210	.10
	87	3130	Receptacles, Twist lock, 2 wire H&H 20A 250V. XT-7210	. 10
	H	100	Bolts, Eye, Galv. 5/8" x 8" #9431N	.15
	97	46	Clamps, Galv. #7460 3 Bolt 6"	• 18
	R .	12	Bolts, Eye "Josyln" Galv. Drop forges 8-5/8" x 12",	
			2-5/8" × 18", 2-5/8" × 16"	. 19
	19	101	Bolts, eye, galv. threaded full length 5/8" x 8"	. 12
	H	250	Bolts, Galv. 5/8" x 16" Machine	. 10
	H	230	Bolts, Carriage, 3/8" x 埠"	.025
	H	13	Clamps pellet Lightning Arrestors 91A10A6	. 50
	19	38	Brackets, Secondary Galv. 22* long	.30
=1	H	10	Insulators, suspension, Brown Crockery #79061-1 OB	.75
g= 3		6	Racks, Heavy Secondary, Galv. 17±"	.30

Note: These items have been found suitable for REA use.
Orders will be processed in order of receipt, subject to prior sale.

J. Warner Pyles, Head

Surplus War Property Disposal Office



UNITED STATES DEPARTMENT OF AGRICULTURE Rural Electrification Administration St. Louis (2). Missouri

Where:

As shown below

Condition:

New

Price:

As shown below

Time Limit:

January 10, 1945

In all communications to REA concern-

ing these items, please refer to: SWP release 9a

Order Instructions: Mail orders to us in duplicate with Vendor's name and address blank for us to fill in the appropriate Disposal. Agency name, etc. We will retain the duplicate order for our reference.

U.S. DEVARTMENT OF AGRICULTURE

December 20, 1944

8.00 es

Massachusetts

QUANTITY . FILE NO. LOSATION PRICE DESCRIPTION 00044-1-1 Oil circuit breaker Division Engr. Westinghouse style #5.0. 61 N.E. Division Y236, type B-22-B max. volts, Whse., Newton Upper Falls, 64 15,000, 600 amps: Complete With: Massachusetts 3 Westinghouse over Current Relav 3 Pot Heads 6 Switches 13.8 KV 1 D.T. Transformer switch Doors & frame, angle supports, etc. \$1,500.00 Chief, Property 00254-1-2 392 Anchor, steel, 4 way expanding, Chance Mfg. Disp. Div. Boston Co. 745 (Stk. #5B162) Signal Depot. 365 "C" St. 6,000# So. Boston 27. Massachusetts .75 ca 00093-1-3 3 Primary Cutouts GE, Catalog Assistant-In-No. 6X240A, 100 Amo. Charge U.S. N 7.5/12.5 KV with Disconnect Engr. Sub-office Blade Castle Island Terminal Gardner Way, So. Boston

FILE NO	QUATTITY	DESCRIPTION	LOCATION	PRICE -
NY_S_21 Page 3, Line 29		Breaker, Circuit, High Tension, "Delta Star Elec. Co." Type Q A.O1 Cat. #596500-A, 5000 Volts, 100 Amp.	Defense Plant Corporation New York	35•00
NY_S_21 Page 1, Line 1	6 3	Arrestors, KV-Joslyn, explusion, No. J9211P	n de n	4,50 ea
NY_S_24 Page 1 Line 1	2 9	Arrestors, Lightning Type R.M. = S#1254825 2.3 KV complete with brackets S#445384		4.50 ea.
Page 1 Line 2	9	Arrestors, Lightning Tyme LV_S#1105473 2.3 KV	en grand til en skriver og skriver	4,50 ea.

Marnerfyles

J. Warner Pyles, Head Surnlus War Property Disposal Office

NOTE: These items have been found suitable for REA use. Orders will be processed in order of receipt, subject to prior sale.

In all communications to REA concerning these items, please refer to: SWP release 9b UNITED STATES DEPARTMENT OF AGRICULTURE
Rural Electrification Administration
St. Louis, (2) Missouri

St. Louis, (2) Missouri

PERLATERIST TO REA BORROWRS

SPEEDY ACTION LSSENTIAL

IF YOU DESTRETHESE MATERIALS

December 21, 1944

Subject: SWP Release #1 and #2 dated December 2, 1944 information regarding surplus war property at Geneva, Utah.

We are exceedingly sorry that there will be a delay in filling orders received from REA Cooperatives for surplus war property located at Provo, Utah. This delay is beyond our control.

After negotiations were completed with D.P.C. at Provo, orders were issued to transfer the authority for selling the property, from D.P.C. to R.F.C., Salt Lake City.

We have been advised by R.F.C. that two to three weeks will be required for them to re-inventory and value the property. They will then be in position to complete negotiations with us on prices.

Prices will be between 50% and 70% of your normal cost. All prices f.o.b. Carrier. If this is not satisfactory, please advise.

In the meantime, this gives an opportunity to those who have not done so, to send orders for materials included on SWP Release #1 and #2.

LIBRARY

CURRENT SERIAL RECORD


AD DEC-10 1945 A

U.S. DEPARTMENT ADMINULTURE

J. Warner Pyles, Head Surnlus War Property Disposal Office

A Warner Hyles

In all communications to REA concerning these items, please refer to: SWP release 11



UNITED STATES DEPARTMENT OF AGRICULTURE Rural Electrification Administration St. Louis (2), Missouri

SUMPRISE PROPERTY ITEMS OF INTEREST TO REA BORROWERS SPEEDY ACTION ESSENTIAL IF YOU DESIRE THESE MATERIALS

December 26, 1944

LOCATION: . In all REA Regions

CONDITION: Mostly New. No used property will be considered unless condition and price warrant consideration.

PRICE: Between 50% and 70% of your normal purchase price.
All prices will be f.o.b. Carrier.

The various Surplus War Property Disposal Agencies are sending us daily lists of the following surplus war property which in general are hard for you to obtain from normal sources. In your recent letter relative to surplus war property, you indicated your desire to obtain these properties.

If the price indicated above is satisfactory, please send us your order in DUPLICATE stating: QUANTITY, TYPE, and SIZE of each item, and your normal cost MARKED IN PENCIL. IF AFTER SENDING US YOUR ORDER. THE STATUS OF YOUR NEEDS FOR THESE MATERIALS CHANGE'S FOR ANY REASON, PLEASE NOTIFY US IMPEDIATELY.

We will then be in a position to fill your order as the items become available in your region. If we cannot completely fill your order at one time, we will authorize the Disposal Agency to make partial shipments and complete the balance as the property becomes available.

These properties can be purchased without priority, -

MOTOR STARTING SWITCHES
SAFETY SWITCHES - Bulldog Type
CONDUIT
CONDULETS
OUTLET BOXES - round and square
SWITCH BOXES
COVERS FOR CONDULETS
COVERS FOR OUTLET BOXES
LOCKNUTS
BUSHINGS
DUPLEX RECEPTACLES
COLDUIT COUPLINGS
PUMFS

ROPE & BLOCKS

STETL REFLECTORS

VAPORPROOF FIXTURES

EXPLOSION PROOF SWITCHES

SWITCHES - push but ton & toggle

SWITCHES - J way, & 4 way

HICKEYS - Fixture

LINEMANS BELTS

LINEMANS HOOKS

MOTORS

CONSTRUCTION TOOLS

HOUSE KNOBS

KNOB & TUBE WIRING MATERIALS

FUSE LINKS

PAINT

AIR COMPRESSORS

In all communications to RFA concerning these items, please refer to: SWP Release 12a

(OVER)

In all communications to REA concernning these items, please refer to: SWP Release 12b

WEATHERPROOF CONDUCTOR
R.C. CONDUCTOR
PLUMBING - PIPE & FITTINGS

Marnorfyles

J. Warner Pyles, Head Surplus War Property Disposal Office

U.S. DEPARTMENT OF M. ...

UNITED STATES DEPARTMENT OF AGRICULTURE
Rural Flectrification Administration
St. Louis (2) Missouri

SOURPEDIS WAS PROP ITEMS OF INTERIST TO REAL

SPEEDY ACTION ESSE

December 27, 1944

Where:

Boston, Massachusetts

Condition:

As indicated below

Price:

As shown below

Time Limit:

January 5, 1945

Order Instructions:

Mail orders to us in duplicate with Vendor's name and address blank for us to fill in the appropriate Disposal Agency name, etc. We will retain the duplicate order for our reference.


Suggestion:

Due to the small quantity that will be required by each Cooperative, it is suggested that the Cooperatives in each state, group their purchases through one or two Cooperatives to facilitate shipping and billing.

The Cooperatives selected by you to make the group purchase should send us their order for the entire group, stating thereon the quantity for each individual Cooperative.

QUANTITY	DESCRIPTION	COMDITION	PRICE
202 pair	LINEMANS CLIMBERS - Smith & Heminway-Keene Kutter - M. Klein & Sons	Used - in good condition	\$3.00 pr.
1,510	LINEMANS CLIMBER PADS - 4"x4" N.H. Buckingham Manufacturing Company, Binghampton, N.Y. - Standard pole climbers		
	equinment.	New	.12 ea
1,116	LEATHER STRAPS - 1"x26" for linemans climbers	Mew.	7 ₀ .18 ea.
	202 pair	202 pair LINEMANS CLIMBERS - Smith & Heminway-Keene Kutter - M. Klein & Sons 1,510 LINEMANS CLIMBER PADS - 4"x4" N.H. Buckingham Manufacturing Company, Binghampton, N.Y Standard pole climbers equipment. 1,116 LEATHER STRAPS - 1"x26" for	202 pair LINEMANS CLIMBERS - Smith & Used - Heminway-Keene Kutter - in good M. Klein & Sons condition 1,510 LINEMANS CLIMBER PADS - 4"x4" N.H. Buckingham Manufacturing Company, Binghampton, N.Y Standard pole climbers equipment. New 1,116 LEATHER STRAPS - 1"x26" for

In all communications to REA concerning these items, please refer to: SWP Release 13 J. Warner Pyles, Head Surplus War Property Disposal C



UNITED STATES DEPARTMENT OF AGRICULTURE Rural Electrification Administration St. Louis (2). Missouri

SURPLUS WAR PROPERTY ITEMS OF INTEREST TO REA BORROWERS

SPEEDY ACTION ESSENTIAL

December 28, 1944

Please note the following letter from the Reconstruction Finance Corporation. Surplus War Property Division, 1208 W. O. W. Building, of Omaha, Nebraska received by us today in connection with the motors referred to in our SWP Release #9.

It is unfortunate that these motors are no longer available, but we know you agree that this war must be won. There will be other motors later on; we will keep you advised.

J. Warner Pyler, Head Surplus War Property Disposal Office

IMPORTANT

TO

All Bidders for Electric Motors

Located at Fort Crook, Nebraska

December 26, 1944

CURRENT SERIA

JAN 19 1945

"This has reference to the invitation to bid on a quantity of Electric Motors located at Fort Crook, Nebraska which we sent you on December 15.

Owing to an accelerated and increased military program. Army Ordnance has recalled these Electric Motors, and we must withdraw our invitation and reject any bids received.

We do regret any inconvenience caused you by this action, but as we all know, anything necessary to the prosecution of the war must come first.

Gordon T. Burke, Chief Surplus War Property Division

2 (1867 Sept 1978)

APPLICATE CHARLES -

Light of Little Control of the Contr